


## GO! Sparkling Snow Diamonds Quilt

Finished Size 30½" x 38½"



*Fabrics are from the Tonga Batiks Oceana and Lagoon Collections and are provided by Timeless Treasures Fabrics*

### GO!® Dies Used, Number of Shapes to Cut & Fabric Requirements

Fabric Color	GO! Dies Used	Number of Shapes to Cut	Fabric Required
Scraps of dark blue, medium blue, light blue and green	GO! Sparkle Diamonds by Sarah Vedeler (55089) 	Apply fusible web to the wrong side of fabric prior to cutting, following manufacturer's instructions. Cut 9—large diamonds from matching fabric, 7—medium diamonds from matching fabric, 3—additional medium diamonds from matching fabric and 50—small diamonds from a variety of fabrics.	5/8 yard total
	Cut 9 large, 7 medium, and 50 small diamonds. Cut 3 medium diamonds.		

### Additional Fabrics Needed:

- Left Side Background—3/4 yard
  - Remove selvages and cut 1 left panel—20½" x 38½"
- Right Side Background—3/8 Yard
  - Remove selvages and cut 1 right panel—10½" x 38½"
- Batting—38" x 46"
- Fusible Web—1 yard (based on 17" width)
- Backing—1 yard
- Binding—1/2 yard
  - Cut 4 strips using GO! Strip Cutter-2¼" (1¾" Finished) (55053)

### Sewing Directions:

#### ***Make the Quilt Top***

Press all seams open, and use ¼" seams, unless otherwise indicated.

1. Join the left and right background panels together along one long edge. Press the seam open.
2. Place the background right side up on a large work surface or design wall. Referring to the photo on page 1, position the large, medium and small diamonds right side up on the background forming the snowflake shapes. *NOTE: Some diamonds will extend past the edge of the background. Following manufacturer's instructions, fuse the diamonds in place. Let the fused quilt top cool completely.*
3. Using a straight or decorative stitch, edgestitch around each diamond shape. Add additional decorative stitching within the diamond shapes, if desired.



### Finishing and Quilting:

1. Layer the batting between the quilt top and backing, with the wrong sides facing the batting. Pin or baste the layers together. Quilt as desired.
2. Trim the batting and backing even with the quilt top edges.
3. Sew the binding strips together along the short ends, using either straight or diagonal seams. Press the strip in half lengthwise, with wrong sides together. Stitch the binding to the quilt front, matching raw edges and mitering corners. Fold the binding to the quilt back, encasing the raw edges. Handstitch the binding to the quilt back.

