

GO! Qube 9" Next Door Neighbor Quilt

Finished Size: 44" x 44"

*Fabrics are provided
by Island Batik*



Dies Needed:

GO! Qube Mix & Match 9" Block (55777)

- GO! Quarter Square Triangle-4½" Finished Square (Shape 4)
- GO! Half Square Triangle-2¼" Finished Square (Shape 5)

GO! Qube 9" Companion-Classics (55781)

- GO! Chisels-2¼" x 4½" Finished (Shape 9)






Additional Dies Needed:



- GO! Strip Cutter-2½" (2" Finished) (55017 or 55014)
- GO! Strip Cutter-4½" (4" Finished) (55054)

Fabric Requirements:

Fabric Color	Total Yardage
Green #1	3/4 yard
Green #2	1/2 yard
Turquoise #1	1¼ yards
Turquoise #2	1/2 yard
White	1½ yards
Batting	1 crib size
Backing	3 yards

Cutting Directions:

Fabric Color	Shape & Number	Number of Shapes to Cut	Total Fabric Required
Green #1		Cut 2—4" x width of fabric (WOF) strips. Fanfold into 3¼" widths. Sub cut into 32—2¼" finished half square triangles (HSTs).	3/4 yard
Green #1		Cut 3—5½" x WOF strips. Layer up to 6 layers of fabric <i>right side up</i> on die and cut 32—"left" chisels. Shift the strip to cut the next "left" chisel. Do not fanfold.	Yardage included above
Green #2		Cut 3—5½" x WOF strips. Fanfold into 3¼" widths. Sub cut into 32—4½" finished quarter square triangles (QSTs).	1/2 yard
Turquoise #1		Cut 2—4" x WOF strips. Fanfold into 3¼" widths. Sub cut into 32—2¼" finished HSTs.	1¼ yards
Turquoise #1		Cut 3—5½" x WOF strips. Layer up to 6 layers of fabric <i>right side up</i> on die and cut 32—"left" chisels. Shift the strip to cut the next "left" chisel. Do not fanfold.	Yardage included above

Fabric Color	Shape & Number	Number of Shapes to Cut	Total Fabric Required
Turquoise #2		Cut 3—5½" x WOF strips. Fanfold into 3¼" widths. Sub cut into 32—4½" finished QSTs.	1/2 yard
White		Cut 6—4" x WOF strips. Fanfold into 3¼" widths. Sub cut into 128—2¼" finished HSTs.	1½ yards

Additional Cutting Instructions:

- White Border—Yardage included above
 - Use GO! Strip Cutter-4½" (4" Finished) (55054) to cut 5—4½" x WOF strips for borders
- Turquoise #1—Yardage included above
 - Use GO! Strip Cutter-2½" (2" Finished) (55017 or 55014) to cut 5—2½" x WOF strips for binding.

Additional Fabrics Needed:

- Batting: 1 crib size
- Backing: 3 yards cut into 2—1½ yard pieces. Sew back together along the 54" length.

Sewing Directions:

Press all seams open and use ¼" seams, unless otherwise indicated.


1. Sew one turquoise #1 and one white 2¼" finished half square triangle (HST) (Shape 5) on either side of the green #2 quarter square triangle (QST) (Shape 4) to form a flying geese unit as shown. Be sure turquoise #1 fabric is on the right short side of the QST. Press seams toward the HSTs. Make 32 flying geese units measuring 2¾" x 5".



2. Sew one green #1 and one white 2¼" finished HST (Shape 5) on either side of the turquoise #2 QST (Shape 4) to form a flying geese unit as shown. Be sure green #1 fabric is on the right short side of the QST. Press seams toward the HSTs. Make 32 flying geese units measuring 2¾" x 5".




3. Sew one white 2¼" finished HST (Shape 5) onto one green #1 chisel (Shape 9) as shown. Press towards chisel. Make 32 chisel units measuring 2¾" x 5".




4. Sew one white 2¼" finished HST (Shape 5) onto one turquoise #1 chisel (Shape 9) as shown. Press towards HST. Make 32 chisel units measuring 2¾" x 5".


5. Sew one green #2 flying geese unit from Step 1 onto one green #1 chisel unit from Step 3 together as shown. Press seams towards the chisel unit. Make 32 quarter square units measuring 5" x 5".



6. Sew one turquoise #2 flying geese unit from Step 2 onto one turquoise #1 chisel unit from Step 4 together as shown. Press seams towards the chisel unit. Make 32 quarter square units measuring 5" x 5".




7. Lay out the QST units from Step 5 and 6 as shown. Sew together pressing seams towards the chisels. This pressing step is important so that all the blocks will nest together in the next step. The trick is to "spin" the seam allowances on the back at the intersection where all four units come together. The seam allowances will "spin" looking like a 4-patch. Make 16 blocks that measure 9½".



Assemble the Quilt Top

1. Lay out blocks in 4 rows of 4 blocks each as shown. Sew blocks together into rows. Pressing seams to one side.



2. Sew rows together, making sure to rotate every other row and nest the seam intersections between the blocks. This will allow the block intersections to spin when pressing the rows resulting in less bulky seam intersections.



3. Use the white 4½" strips to add borders to quilt. Add right and left border first and then top and bottom border. Press seams towards border.

Quilting and Finishing

1. Layer batting between quilt top and backing.
2. Pin or baste layers together.
3. Quilt as desired.
4. Add binding, mitering corners.

