



WHY YOU NEED A FABRIC CUTTER: a better way to cut™

Turn your patterns into quilts faster and more accurately with the AccuQuilt GO!® fabric cutting systems. With over 200 piecing and appliqué shapes, a GO! Fabric Cutter is a great value and gives you the confidence to make projects you never would have attempted.

MEET THE GO! CUTTERS:

- 90% faster than rotary cutting
- Reduces fabric waste
- Accurately cuts up to 6 layers of fabric at a time
- Minimizes hand, arm and back strain

[Why you need a fabric cutter >](#)



GO! FABRIC CUTTER

GO! BABY FABRIC CUTTER

GO! BIG ELECTRIC FABRIC CUTTER

[Choose which fabric cutter is right for you >](#)

GO! Storm at Sea Quilt

finished size 59½" x 59½"
finished block size 12" x 12"



Fabric provided by Art Gallery Fabrics, Nature Elements Collection

GO!® DIES USED:

- GO! Half Square-1½" Finished Triangle (55319)
- GO! Half Square-3" Finished Triangle (55009)
- GO! Square-3½" (55006)
- GO! Triangles in Square-3" Finished (55027)
- GO! Strip Cutter-1¾" (55083)
- GO! Strip Cutter-2½" (55014 or 55017)
- GO! Strip Cutter-4½" (55054)

FABRIC REQUIREMENTS

Follow yardage in chart for Fabrics 1 – 21 and Background fabric

- Backing—3¾ yards
- Batting—66" x 66"



Fabric #	B	1*	2*	3	4	5	6	7	8	9	10
Yardage	3	1	½	¼	¼	¼	¼	¼	¼	½	½
GO! Triangles in Square-3" Finished (center triangle)		4		4	8		8	12		12	16
GO! Half Square-3" Finished Triangle		3	2	1	2	4	2	3	6	3	4
GO! Half Square-1½" Finished Triangle	384	3	7	9	9	8	15	15	12	21	21
GO! Square-3½"			1			2			3		



Fabric #	11	12	13	14	15	16	17	18	19	20*	21*
Yardage	¼	½	¼	¼	¼	¼	¼	¼	¼	½	1
GO! Triangles in Square-3" Finished (center triangle)		16	12		12	8		8	4		4
GO! Half Square-3" Finished Triangle	8	4	3	6	3	2	4	2	1	2	1
GO! Half Square-1½" Finished Triangle	16	21	17	16	15	15	8	9	9	7	3
GO! Square-3½"	4			3			2			1	

CUTTING DIRECTIONS

NOTE: Follow cutting directions in chart. Cut strips from Fabric numbers with * before cutting smaller shapes.

TIP: Use box lids, trays or cookie sheets to help organize cut shapes. Write numbers 1 – 21 on small pieces of paper. Once that fabric has been cut, place shapes on tray with number.

Fabric 1:

- Cut 4—4½" strips across the width of the fabric (WOF) for partial outer border
- Cut 3—2½" strips across the WOF for partial binding

Fabric 2:

- Cut 4—1¾" strips across the WOF for partial inner border

Fabric 20:

- Cut 4—1¾" strips across the WOF for partial inner border

Fabric 21:

- Cut 4—4½" strips across the WOF for partial outer border
- Cut 3—2½" strips across the WOF for partial binding


White Background Fabric:

- Cut 128 pairs—3" finished Triangles in Square for side triangles

SEWING DIRECTIONS


NOTE: Press seams toward darker fabric or for the least bulk or as directed.

1. Make 1½" finished half square triangles (HST) with background fabric and numbered fabric triangles. Press toward the numbered fabrics.
2. Lay out pieces for one block according to photo. Pay close attention to fabric color placement as you complete block sections.
3. Pin and sew four, 1½" HST units together to form each corner square.
4. Pin and sew two, background fabric 1½" HST together to form larger triangles around center square. Press seams open.
5. Pin and sew completed background larger triangle units to each side of center square, pressing after each addition.
6. Pin and sew 3" HST to each corner of combined center square unit. Press after each addition.
7. Pin and sew Triangles in Square side triangles to Triangles in Square center triangles, pressing after each addition.
8. Pin and sew completed Triangles in Square units together to form diamond shape. Press seam open.
9. Pin and sew block sections into rows. Press seams open.
10. Pin and sew rows together to complete block. Press seams open.
11. Make four Block A, three Block B, two Block C, one Block D, three Block E, two Block F, one Block G.
12. Layout blocks according to block diagrams.
13. Pin and sew into rows. Press seams open.
14. Pin and sew rows together to complete quilt center. Press seams open.
15. Trim off selvages from border strips.
16. Pin and sew two Fabric #2, 1¾" inner border strips together to form one long strip. Repeat with two strips each of Fabric #20, 1¾" strips; Fabric #1, 4½" strips; and Fabric #21, 4½" strips. Press seams open.
17. Pin and sew Fabric #2, 1¾" combined strip to Fabric #1, 4½" combined strip. Press seams toward Fabric #2 inner border.
18. Pin and sew Fabric #20, 1¾" combined strip to Fabric #21, 4½" combined strip. Press seams toward Fabric #20 inner border.
19. Pin and sew border strips to quilt center, following diagram and mitering corners. Press seams toward inner border.




QUILTING AND FINISHING

1. Layer batting between quilt top and backing.
2. Pin or baste layers together.
3. Model was machine quilted with an all-over design.
4. Add Fabric #1 and Fabric #21, 2½" binding strips, changing color at corners as shown on diagram.




BLOCK DIAGRAMS




Block A – Make 4


BLOCK DIAGRAMS Cont.




Block B – Make 3




Block E – Make 3




Block C – Make 2



Block F – Make 2



Block D – Make 1



Block G – Make 1